

SILVER Air Curtains

SILVER air curtains combine contemporary architectural styling with high-performance air barrier technology, making them an ideal solution for modern commercial and public interiors. Designed to minimise heat loss and unwanted air exchange through open doorways, they help maintain a comfortable indoor environment while improving overall energy efficiency and reducing operating costs. Unit lengths are matched to standard doorway widths to ensure effective entrance protection and consistent airflow coverage.

SILVER air curtains are suitable for a wide range of applications, including:

- Shopping centres and supermarkets
- Restaurants, bars, hotels, and banks
- Public buildings and office facilities
- Hospitals, pharmacies, warehouses, and similar environments

The units are designed to recirculate and heat indoor air. They can also operate as ambient (unheated) air curtains where heating is not required.

Silver air curtains are suitable for doorways and building openings up to:

- approx. 2.5 m — Size 1
- approx. 3.0 m — Size 2
- approx. 4.0 m — Size 3

Multiple units can be installed side by side to match wider entrances and provide continuous air protection across the full doorway width.

PRODUCT DESCRIPTION

The air curtains consist of the following components:

- A robust powder-coated steel casing with a full-length discharge slot and durable plastic side panels
- A water or electric heating coil
- Double-inlet centrifugal fans, available in configurations of 2, 3, 4, or 5 units

The air curtains are available in three sizes, each offered in three different lengths, ensuring precise adaptation to doorway dimensions.

Horizontal (Over-Door) Installation

- Designed for suspended ceiling or support structure mounting
- Suitable for standard commercial and public building entrances
- Additional fixing points provide enhanced installation stability where required

Vertical (Side-Mounted) Installation

- Ideal for large door openings
- Supplied with integrated support feet for secure floor mounting

JUWENT

31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

- Available in left-hand or right-hand configurations to suit entrance layout requirements

OPERATING CONDITIONS


Water-heated models are designed for operation with heating water temperatures up to 150°C and operating pressures up to 1.5 MPa. Electric-heated models operate on a 400 V three-phase power supply and feature integrated overheat protection for safe and reliable operation.


JUWENT

31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-1-105-W

DIMENSIONS





Fan Parameters	
Number of fans	2
Voltage (V)	230
Motor power (kW)	0,16
Current (A)	0,7
Fan speed (rpm)	1270

Airflow and Heating Capacity of Water-Heated Air Curtain				
Airflow (m^3/h)		1500		
Heating capacity (kW), discharge air temperature (°C) and water pressure drop (kPa)				
Water temperatures (°C)	**Entering air temperature (°C)**	**kW**	**°C**	**kPa**
90/70	5	13,7	31	4,6
	10	12,5	34	3,8
	15	11,3	37	3,1
80/60	5	11,4	26	3,2
	10	10,3	29	2,6
	15	9,1	33	2,0
70/50	5	9,2	22	2,1
	10	8,1	25	1,6
	15	7,1	28	1,2

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl


60/40	5	7,1	18	1,2
	10	6,1	21	0,9
	15	5,1	25	0,8


Noise Level (dB(A))	
At a distance of 1 m	64
At a distance of 3 m	60
Weight	
Weight (kg)	34

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-1-105-E

DIMENSIONS





Fan Parameters	
Number of fans	2
Voltage (V)	230
Motor power (kW)	0,16
Current (A)	0,7
Fan speed (rpm)	1270


Airflow and Heating Capacity of Electric-Heated Air Curtain	
Airflow (m^3/h)	1500
Heating capacity (kW)	6


Noise Level (dB(A))	
At a distance of 1 m	64
At a distance of 3 m	60
Weight	
Weight (kg)	35

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-1-105-Z

DIMENSIONS






Fan Parameters	
Number of fans	2
Voltage (V)	230
Motor power (kW)	0,16
Current (A)	0,7
Fan speed (rpm)	1270
Airflow (m^3/h)	1500


Noise Level (dB(A))	
At a distance of 1 m	64
At a distance of 3 m	60
Weight	
Weight (kg)	31

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-1-150-W

DIMENSIONS





Fan Parameters	
Number of fans	2
Voltage (V)	230
Motor power (kW)	0,130
Current (A)	0,60
Fan speed (rpm)	1270

Airflow and Heating Capacity of Water-Heated Air Curtain				
Airflow (m^3/h)		2250		
Heating capacity (kW), discharge air temperature (°C) and water pressure drop (kPa)				
Water temperatures (°C)	**Entering air temperature (°C)**	**kW**	**°C**	**kPa**
90/70	**5**	20,6	32	2,7
	10	19,0	34	2,2
	15	17,2	37	1,8
80/60	**5**	17,2	27	1,8
	10	15,6	30	1,5
	15	13,9	33	1,2
70/50	**5**	13,9	23	1,3
	10	12,3	25	0,9
	15	10,7	29	0,7
60/40	**5**	10,7	19	0,7
	10	9,2	21	0,5
	15	7,7	25	0,4


JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl


Noise Level (dB(A))	
At a distance of 1 m	64
At a distance of 3 m	60
Weight	
Weight (kg)	45

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-1-150-E

DIMENSIONS





Fan Parameters	
Number of fans	3
Voltage (V)	230
Motor power (kW)	0,16
Current (A)	0,7
Fan speed (rpm)	1270


Airflow and Heating Capacity of Electric-Heated Air Curtain	
Air flow (m^3/h)	2250
Heating capacity (kW)	9


Noise Level (dB(A))	
At a distance of 1 m	64
At a distance of 3 m	60
Weight	
Weight (kg)	45

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-1-150-Z

DIMENSIONS






Fan Parameters	
Number of fans	3
Voltage (V)	230
Motor power (kW)	0,16
Current (A)	0,7
Fan speed (rpm)	1270
Air flow (m^3/h)	2250


Noise Level (dB(A))	
At a distance of 1 m	64
At a distance of 3 m	60
Weight	
Weight (kg)	39

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-1-200-W

DIMENSIONS





Fan Parameters	
Number of fans	4
Voltage (V)	230
Motor power (kW)	0,16
Current (A)	0,7
Fan speed (rpm)	1270

Airflow and Heating Capacity of Water-Heated Air Curtain				
Airflow (m^3/h)		3000		
Heating capacity (kW), discharge air temperature (°C) and water pressure drop (kPa)				
Water temperatures (°C)	**Entering air temperature (°C)**	**kW**	**°C**	**kPa**
90/70	**5**	27,5	31	5,2
	10	25,1	34	4,3
	15	22,7	37	3,6
80/60	**5**	22,9	26	3,6
	10	20,6	29	2,9
	15	18,3	33	2,3
70/50	**5**	18,5	22	2,4
	10	16,3	25	1,8
	15	14,2	29	1,3

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl


60/40	**5**	14,3	18	1,4
	10	12,1	21	1,0
	15	10,1	25	0,7


Noise Level (dB(A))	
At a distance of 1 m	66
At a distance of 3 m	62
Weight	
Weight (kg)	66

31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-1-200-E

DIMENSIONS





Fan Parameters	
Number of fans	4
Voltage (V)	230
Motor power (kW)	0,16
Current (A)	0,7
Fan speed (rpm)	1270


Airflow and Heating Capacity of Electric-Heated Air Curtain	
Airflow (m^3/h)	3000
Heating capacity (kW)	12


Noise Level (dB(A))	
At a distance of 1 m	66
At a distance of 3 m	62
Weight	
Weight (kg)	65

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-1-200-Z

DIMENSIONS






Fan Parameters	
Number of fans	4
Voltage (V)	230
Motor power (kW)	0,16
Current (A)	0,7
Fan speed (rpm)	1270
Airflow (m^3/h)	3000


Noise Level (dB(A))	
At a distance of 1 m	66
At a distance of 3 m	62
Weight	
Weight (kg)	58

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-2-170-W

DIMENSIONS





Fan Parameters	
Number of fans	3
Voltage (V)	230
Motor power (kW)	0,147
Current (A)	1,55
Fan speed (rpm)	1400

Airflow and Heating Capacity of Water-Heated Air Curtain				
Airflow (m^3/h)		3900		
Heating capacity (kW), discharge air temperature (°C) and water pressure drop (kPa)				
Water temperatures (°C)	**Entering air temperature (°C)**	**kW**	**°C**	**kPa**
90/70	**5**	34,1	29	1,8
	10	31,0	32	1,4
	15	28,1	35	1,1
80/60	**5**	28,3	25	1,1
	10	25,5	28	0,9
	15	22,7	31	0,7
70/50	**5**	22,8	21	0,8
	10	20,1	24	0,6
	15	17,5	27	0,4
60/40	**5**	17,6	17	0,4
	10	15,0	20	0,3
	15	12,5	24	0,3


JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl


Noise Level (dB(A))	
At a distance of 1 m	69
At a distance of 3 m	65
Weight	
Weight (kg)	75

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-2-170-E

DIMENSIONS





Fan Parameters	
Number of fans	3
Voltage (V)	230
Motor power (kW)	0,147
Current (A)	1,55
Fan speed (rpm)	1400


Airflow and Heating Capacity of Electric-Heated Air Curtain	
Airflow (m^3/h)	3900
Heating capacity (kW)	18


Noise Level (dB(A))	
At a distance of 1 m	69
At a distance of 3 m	65
Weight	
Weight (kg)	78

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-2-170-Z

DIMENSIONS






Fan Parameters	
Number of fans	3
Voltage (V)	230
Motor power (kW)	0,147
Current (A)	1,55
Fan speed (rpm)	1400
Airflow (m^3/h)	3900


Noise Level (dB(A))	
At a distance of 1 m	69
At a distance of 3 m	65
Weight	
Weight (kg)	89

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-2-210-W

DIMENSIONS





Fan Parameters	
Number of fans	4
Voltage (V)	230
Motor power (kW)	0,147
Current (A)	1,55
Fan speed (rpm)	1400

Airflow and Heating Capacity of Water-Heated Air Curtain				
Airflow (m^3/h)		**4400**		
Heating capacity (kW), discharge air temperature (°C) and water pressure drop (kPa)				
Water temperatures (°C)	**Entering air temperature (°C)**	**kW**	**°C**	**kPa**
90/70	**5**	43,6	33	5,8
	10	39,8	36	5,1
	15	36,0	39	4,1
80/60	**5**	36,4	28	4,1
	10	32,7	31	3,3
	15	29,2	34	2,8
70/50	**5**	29,4	23	2,8
	10	22,9	27	2,0
	15	22,5	30	1,4
60/40	**5**	22,7	19	1,4
	10	19,4	22	1,1
	15	16,2	25	0,9


31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl


Noise Level (dB(A))	
At a distance of 1 m	69
At a distance of 3 m	65
Weight	
Weight (kg)	99

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-2-210-E

DIMENSIONS





Fan Parameters	
Number of fans	4
Voltage (V)	230
Motor power (kW)	0,147
Current (A)	1,55
Fan speed (rpm)	1400


Airflow and Heating Capacity of Electric-Heated Air Curtain	
Airflow (m^3/h)	4400
Heating capacity (kW)	24


Noise Level (dB(A))	
At a distance of 1 m	69
At a distance of 3 m	65
Weight	
Weight (kg)	100

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-2-210-Z

DIMENSIONS






Fan Parameters	
Number of fans	4
Voltage (V)	230
Motor power (kW)	0,147
Current (A)	1,55
Fan speed (rpm)	1400
Airflow (m^3/h)	4400


Noise Level (dB(A))	
At a distance of 1 m	69
At a distance of 3 m	65
Weight	
Weight (kg)	89

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-2-250-W

DIMENSIONS





Fan Parameters	
Number of fans	5
Voltage (V)	230
Motor power (kW)	0,147
Current (A)	1,55
Fan speed (rpm)	1400

Airflow and Heating Capacity of Water-Heated Air Curtain				
Airflow (m^3/h)		6500		
Heating capacity (kW), discharge air temperature (°C) and water pressure drop (kPa)				
Water temperatures (°C)	**Entering air temperature (°C)**	**kW**	**°C**	**kPa**
90/70	**5**	63,9	32	10,0
	10	59,3	35	7,5
	15	52,8	39	6,8
80/60	**5**	53,3	28	7,0
	10	47,9	31	5,4
	15	42,7	34	4,5
70/50	**5**	43,1	23	4,5
	10	38,0	26	3,6
	15	33,0	30	2,2
60/40	**5**	33,4	19	2,2
	10	28,4	22	1,9
	15	23,8	25	1,4


JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

Noise Level (dB(A))	
At a distance of 1 m	71
At a distance of 3 m	68
Weight	
Weight (kg)	131

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-2-250-E

DIMENSIONS



Fan Parameters	
Number of fans	5
Voltage (V)	230
Motor power (kW)	0,147
Current (A)	1,55
Fan speed (rpm)	1400


Airflow and Heating Capacity of Electric-Heated Air Curtain	
Airflow (m^3/h)	6500
Heating capacity (kW)	30


Noise Level (dB(A))	
At a distance of 1 m	71
At a distance of 3 m	68
Weight	
Weight (kg)	133

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-2-250-Z

DIMENSIONS






Fan Parameters	
Number of fans	5
Voltage (V)	230
Motor power (kW)	0,147
Current (A)	1,55
Fan speed (rpm)	1400
Airflow (m^3/h)	6500

Noise Level (dB(A))	
At a distance of 1 m	71
At a distance of 3 m	68
Weight	
Weight (kg)	120

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-3-150-W

DIMENSIONS



Fan Parameters	
Number of fans	2
Voltage (V)	230
Motor power (kW)	0,45
Current (A)	2,0
Fan speed (rpm)	790

Airflow and Heating Capacity of Water-Heated Air Curtain				
Airflow (m^3/h)		5400		
Heating capacity (kW), discharge air temperature (°C) and water pressure drop (kPa)				
Water temperatures (°C)	**Entering air temperature (°C)**	**kW**	**°C**	**kPa**
90/70	**5**	43,9	28	2,7
	10	41,0	34	2,3
	15	36,3	34	1,8
80/60	**5**	36,5	24	1,9
	10	32,8	27	1,5
	15	29,2	30	1,2
70/50	**5**	29,4	20	1,2
	10	25,9	23	0,9
	15	22,5	27	0,7
60/40	**5**	22,6	17	0,7
	10	19,3	20	0,5
	15	16,1	23	0,4


JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

Noise Level (dB(A))	
At a distance of 1 m	71
At a distance of 3 m	61
Weight	
Weight (kg)	91

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-3-150-E

DIMENSIONS



Fan Parameters	
Number of fans	3
Voltage (V)	230
Motor power (kW)	0,45
Current (A)	2,0
Fan speed (rpm)	790


Airflow and Heating Capacity of Electric-Heated Air Curtain	
Airflow (m^3/h)	5400
Heating capacity (kW)	18

Noise Level (dB(A))	
At a distance of 1 m	71
At a distance of 3 m	61
Weight	
Weight (kg)	92

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-3-150-Z

DIMENSIONS




Fan Parameters	
Number of fans	2
Voltage (V)	230
Motor power (kW)	0,45
Current (A)	2,0
Fan speed (rpm)	790
Airflow (m^3/h)	5400

Noise Level (dB(A))	
At a distance of 1 m	72
At a distance of 3 m	61
Weight	
Weight (kg)	82

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-3-225-W

DIMENSIONS



Fan Parameters	
Number of fans	3
Voltage (V)	230
Motor power (kW)	0,45
Current (A)	2,0
Fan speed (rpm)	790

Airflow and Heating Capacity of Water-Heated Air Curtain				
Airflow (m^3/h)		8100		
Heating capacity (kW), discharge air temperature (°C) and water pressure drop (kPa)				
Water temperatures (°C)	**Entering air temperature (°C)**	**kW**	**°C**	**kPa**
90/70	**5**	73,7	30	11,5
	10	67,3	33	10,1
	15	60,9	37	7,0
80/60	**5**	61,4	26	7,1
	10	55,2	29	6,4
	15	49,2	32	5,1
70/50	**5**	49,6	22	5,1
	10	43,7	25	4,0
	15	38,0	28	3,0
60/40	**5**	38,3	18	3,1
	10	32,7	21	2,2
	15	27,3	24	1,5


JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

Noise Level (dB(A))	
At a distance of 1 m	64
At a distance of 3 m	60
Weight	
Weight (kg)	34

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-3-225-E

DIMENSIONS



Fan Parameters	
Number of fans	3
Voltage (V)	230
Motor power (kW)	0,45
Current (A)	2,0
Fan speed (rpm)	790


Airflow and Heating Capacity of Electric-Heated Air Curtain	
Airflow (m^3/h)	8100
Heating capacity (kW)	27

Noise Level (dB(A))	
At a distance of 1 m	72
At a distance of 3 m	68
Curtain weight	
Weight [kg]	143

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-3-225-Z

DIMENSIONS




Fan Parameters	
Number of fans	3
Voltage (V)	230
Motor power (kW)	0,45
Current (A)	2,0
Fan speed (rpm)	790
Airflow (m^3/h)	8100

Noise Level (dB(A))	
At a distance of 1 m	72
At a distance of 3 m	68
Weight	
Weight (kg)	

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-3-300-W

DIMENSIONS



Fan Parameters	
Number of fans	3
Voltage (V)	230
Motor power (kW)	0,45
Current (A)	2,0
Fan speed (rpm)	790

Airflow and Heating Capacity of Water-Heated Air Curtain				
Airflow (m^3/h)		10800		
Heating capacity (kW), discharge air temperature (°C) and water pressure drop (kPa)				
Water temperatures (°C)	**Entering air temperature (°C)**	**kW**	**°C**	**kPa**
90/70	**5**	106,2	32	26,0
	10	96,9	35	22,0
	15	87,8	38	18,2
80/60	**5**	88,6	28	18,4
	10	79,2	31	15,0
	15	71,1	34	11,9
70/50	**5**	71,7	23	12,1
	10	63,2	26	9,4
	15	54,9	30	7,1
60/40	**5**	55,4	19	7,1
	10	47,3	22	5,2
	15	39,5	25	3,8


JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

Noise Level (dB(A))	
At a distance of 1 m	73
At a distance of 3 m	69
Weight	
Weight (kg)	181

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-3-300-E

DIMENSIONS



Fan Parameters	
Number of fans	4
Voltage (V)	230
Motor power (kW)	0,45
Current (A)	2,0
Fan speed (rpm)	790


Airflow and Heating Capacity of Electric-Heated Air Curtain	
Airflow (m^3/h)	10800
Heating capacity (kW)	36

Noise Level (dB(A))	
At a distance of 1 m	73
At a distance of 3 m	69
Weight	
Weight (kg)	184

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl

SILVER-3-300-Z

DIMENSIONS



Fan Parameters	
Number of fans	4
Voltage (V)	230
Motor power (kW)	0,45
Current (A)	2,0
Fan speed (rpm)	790
Airflow (m^3/h)	10800

Noise Level (dB(A))	
At a distance of 1 m	73
At a distance of 3 m	69
Weight	
Weight (kg)	162

JUWENT
31 Lubelska str., 08-500 Ryki
+48 502 087 841, +48 664 465 243
export@juwent.com.pl