




WDJ/WDJV Roof Fans

Roof fans are used for removing the air from the production warehouses, storage warehouses, retail pavilions, shops, offices, single family houses etc. Removed foul air can be polluted with the dusts within the limits of the environment protection regulations.

PRODUCT DESCRIPTION

Fans are made with: horizontal air outflow type WDJ and vertical air outflow type WDJV Series of types of roof fans includes 4 sizes for each type. Fans consists of:

- high-efficiency radial impeller made of synthetic material, driven by an AC (asynchronous) or EC (electronically commutated) motor;
- carrying plate made of galvanized steel sheets for the WDJ type and made of polyester-glass laminate for the WDJV type;
- plastic cover for WDJ type or cover polyester-glass laminate for WDJV.


Fans are adapted for mounting them on the PU universal bases.

WORKING CONDITIONS


Fans are supplied with the single-phase motors. The maximum permissible exhaust air temperature is 50°C for AC motors and 60°C for EC motors.

WDJ-17,5

DIMENSIONS




CHARACTERISTICS:




Single phase motor	
Motor type	M2S052-CA
Voltage [V]	230
Motor power [kW]	0,053
Current [A]	0,33
Revolutions [rpm]	2350

WDJ-17,5-EC

DIMENSIONS




CHARACTERISTICS:




EC motor	
Motor type	EC072/25E3G01-B175/24P1-01
Voltage [V]	1~230
Motor power [kW]	0,057
Current [A]	0,6
Revolutions [rpm]	4070

WDJ-19

DIMENSIONS




CHARACTERISTICS:




Single phase motor	
Motor type	M2E068-BF
Voltage [V]	230
Motor power [kW]	0,058
Current [A]	0,26
Revolutions [rpm]	2500

WDJ-19-EC

DIMENSIONS




CHARACTERISTICS:




EC motor	
Motor type	EC072/25E3G01-B190/40P1-04
Voltage [V]	1~230
Motor power [kW]	0,080
Current [A]	0,7
Revolutions [rpm]	3480

WDJ-22

DIMENSIONS




CHARACTERISTICS:




Single phase motor	
Motor type	M2E068-BF
Voltage [V]	230
Motor power [kW]	0,088
Current [A]	0,39
Revolutions [rpm]	2100

WDJ-22-EC

DIMENSIONS




CHARACTERISTICS:




EC motor	
Motor type	EC072/25E3601 B220/44P1-01
Voltage [V]	1~230
Motor power [kW]	0,049
Current [A]	0,54
Revolutions [rpm]	2700

WDJ-22,5

DIMENSIONS




CHARACTERISTICS:




Single phase motor	
Motor type	M2E068-DF
Voltage [V]	230
Motor power [kW]	0,160
Current [A]	0,7
Revolutions [rpm]	2600

WDJ-22,5-EC

DIMENSIONS




CHARACTERISTICS:




EC motor	
Motor type	FEC092/25E3601 B225/62P1-01
Voltage [V]	1~230
Motor power [kW]	0,095
Current [A]	1,07
Revolutions [rpm]	3010

WDJV-17,5

DIMENSIONS




CHARACTERISTICS:




Single phase motor	
Motor type	M2S052-CA
Voltage [V]	230
Motor power [kW]	0,053
Current [A]	0,33
Revolutions [rpm]	2350

WDJV-17,5-EC

DIMENSIONS




CHARACTERISTICS:




EC motor	
Motor type	FEC092/25E3601 B225/62P1-01
Voltage [V]	1~230
Motor power [kW]	0,057
Current [A]	0,6
Revolutions [rpm]	4070

WDJV-19

DIMENSIONS




CHARACTERISTICS:




Single phase motor	
Motor type	M2E068-BF
Voltage [V]	230
Motor power [kW]	0,058
Current [A]	0,26
Revolutions [rpm]	2500

WDJV-19-EC

DIMENSIONS




CHARACTERISTICS:




EC motor	
Motor type	EC072/25E3G01-B190/40P1-04
Voltage [V]	1~230
Motor power [kW]	0,080
Current [A]	0,7
Revolutions [rpm]	3480

WDJV-22

DIMENSIONS




CHARACTERISTICS:




Single phase motor	
Motor type	M2E068-BF
Voltage [V]	230
Motor power [kW]	0,088
Current [A]	0,39
Revolutions [rpm]	2100

WDJV-22-EC

DIMENSIONS




CHARACTERISTICS:




EC motor	
Motor type	EC072/25E3601 B220/44P1-01
Voltage [V]	1~230
Motor power [kW]	0,049
Current [A]	0,54
Revolutions [rpm]	2700

WDJV-22,5

DIMENSIONS




CHARACTERISTICS:




Single phase motor	
Motor type	M2E068-DF
Voltage [V]	230
Motor power [kW]	0,160
Current [A]	0,7
Revolutions [rpm]	2600

WDJV-22,5-EC

DIMENSIONS



CHARACTERISTICS:



EC motor	
Motor type	FEC092/25E3601 B225/62P1-01
Voltage [V]	1~230
Motor power [kW]	0,095
Current [A]	1,07
Revolutions [rpm]	3010