



## AGE Electric Unit Heaters

Heating and ventilation units with axial-flow fans are used for heating and ventilation of such rooms as industrial shops, storerooms, warehouses, greenhouses etc. with surfaces from 30m<sup>2</sup> to 150 m<sup>2</sup>.


### PRODUCT DESCRIPTION

The series of types of the unit consists of 6 sizes. The unit consists of:

- axial-flow fan;
- electric heaters with aluminium ribs rolled in a spiral way with the outer diameter of a rib D=28 mm and the ribs spacing s=2,8 mm;
- exterior casing;
- outlet grate;
- control system.

## AGE-1


### DIMENSIONS



Fan specification	
Voltage [V]	230
Motor power [W]	36
Current [A]	0,2
Speed [rpm]	1300
Heaters specification	
Voltage [V]	400
Power [kW]	3
Current [A]	4,5
Noise level [dB(A)]	
At the distance of 1m	51
At the distance of 5m	47

## AGE-2


### DIMENSIONS



Fan specification	
Voltage [V]	230
Motor power [W]	58
Current [A]	0,4
Speed [rpm]	1300
Heaters specification	
Voltage [V]	400
Power [kW]	6
Current [A]	9
Noise level [dB(A)]	
At the distance of 1m	53
At the distance of 5m	49

## AGE-3


### DIMENSIONS



Fan specification	
Voltage [V]	230
Motor power [W]	75
Current [A]	0,5
Speed [rpm]	1300
Heaters specification	
Voltage [V]	400
Power [kW]	9
Current. [A]	13
Noise level [dB(A)]	
At the distance of 1m	61
At the distance of 5m	57

## AGE-4

### DIMENSIONS



Fan specification	
Voltage [V]	230
Motor power [W]	75
Current [A]	0,5
Speed [rpm]	1300
Heaters specification	
Voltage [V]	400
Power [kW]	12
Current [A]	17
Noise level [dB(A)]	
At the distance of 1m	61
At the distance of 5m	57

## AGE-5

### DIMENSIONS



Fan specification	
Voltage [V]	230
Motor power [W]	140
Current [A]	0,63
Speed [rpm]	1400
Heaters specification	
Voltage [V]	400
Power [kW]	18
Current [A]	27
Noise level [dB(A)]	
At the distance of 1m	61
At the distance of 5m	57

## AGE-6

### DIMENSIONS



Fan specification	
Voltage [V]	230
Motor power [W]	180
Current [A]	0,77
Speed [rpm]	1400
Heaters specification	
Voltage [V]	400
Power [kW]	27
Current [A]	39
Noise level [dB(A)]	
At the distance of 1m	63
At the distance of 5m	59